

Certificate of Analysis

Company Name: Biotics Research Corporation
 Product Name: Liquid Iodine
 Batch / Lot #: 002022
 Product Description: Liquid
 Appearance/Color: Clear
 Packaging: 2 oz. Boston Round amber glass bottle w/ dropper assembly and safety seal clear

Product Code: 1730
 Expiration Date: 19-Feb-22
 Size / Form: 2 fl.oz. (60 ml)

Each drop (0.05 ml) contains:

<u>Active Ingredient:</u>	<u>Claim</u>	<u>Result</u>	<u>Method</u>
Iodine	75 mcg	88 mcg	ICP

<u>Evaluations</u>	<u>Specifications</u>	<u>Results</u>
Microbiology ⁽¹⁾ :		
Escherichia coli	Negative	pass
Listeria	Negative	pass
Salmonella	Negative	pass
Staphylococcus aureus	Negative	pass
Pseudomonas aeruginosa	Negative	pass

⁽¹⁾ NHPD, Evidence for Quality of Finished Natural Health Products, (2007), Section 2.4.3, Appendix 2 and 4
 Negative means not detected in 10 g or 10 mL for Salmonella spp. and not detected in 1 g or 1 mL for E. coli, Listeria, P. aeruginosa and S. aureus. cfu refers to Colony Forming Units per gram.

FEB 19 2020

Manufactured Date

emelda hankins 2/25/20
 Prepared by/Date

m. o. r. s. 2/25/20
 QA Review by/Date